



Smoke-free Schools Implementation Guide

Introduction

The Government's tobacco control policy seeks to safeguard public health by discouraging smoking, containing the proliferation of tobacco use and minimising the impact of second-hand smoke on the public. To this end, we adopt multi-pronged approach comprising legislation, enforcement, publicity, education, smoking cessation services and taxation.

2. To further safeguard members of the public against health damages caused by second-hand smoke, the Smoking (Public Health) Ordinance (Cap. 371) (hereinafter referred to as "the Ordinance") was amended in 2006 to extend the statutory smoking ban to cover all indoor working places and public places as well as some outdoor places.

3. Section 3 and Schedule 2 of the Ordinance designate the following areas as no smoking areas: any schools, and specified educational establishments including post-secondary colleges, technical colleges or technical institutes, industrial training centres or skill centres, universities, the Hong Kong Academy for Performing Arts. Furthermore, the no smoking areas in the above school areas include both outdoor and indoor perimeters. Therefore, any person who smokes or carries a lighted cigarette or other tobacco products in the above mentioned areas will be liable to a fixed penalty of \$1,500.

4. For this purpose, the Tobacco and Alcohol Control Office of the Department of Health prepared this implementation guide to give managers and staff of schools a better understanding of tobacco control legislation and its implementation, so that they can carry out the smoke-free policy more effectively.

Hazards of Second-hand Smoke

Second-hand Smoke = Group A Carcinogen

5. Second-hand smoke is a mixture of the smoke exhaled by smokers (mainstream smoke) and the smoke given off by the burning end of tobacco products (sidestream smoke). Studies show that second-hand smoke, similar to active smoking, can cause many fatal diseases such as cancers. Second-hand smoke contains a complex mixture of more than 7,000 chemicals, of which at least 69 carcinogens.¹ As early as 1992, second-hand smoke was classified by the US Environmental Protection Agency as “Group A carcinogen” and there is no risk-free level of exposure for second-hand smoke.²

6. The World Health Organization has stated that if a worker works in a second-hand smoke-laden workplace for a long time, the risk of he/she suffering from lung cancer will be increased by 12-19%.³ Other than lung cancer, second-hand smoke will also cause other fatal diseases like heart disease, stroke, etc. Therefore, second-hand smoke not only affects the health of the staff, but also harms their life.

Hazards of Third-hand Smoke

7. Third-hand smoke means the chemical residual of tobacco smoke contamination that clings to clothing, wall, furniture, hair and skin after the cigarette is extinguished. A large amount of toxic substances can be found in third-hand smoke. They include hydrocyanic acid, used in chemical weapons; butane, found in lighter fluid; toluene, found in paint thinners; arsenic; lead; carbon monoxide; and even polonium-210, which is a highly radioactive carcinogen. Nicotine, one of these toxic substances, could react with nitrous acid (a common pollutant found indoor) to produce carcinogenic tobacco-specific nitrosamines.

Hazards of Electronic Cigarettes and Heated Tobacco Products

8. Most electronic cigarette (e-cigarette) cartridges contain propylene glycol, which is a known irritant when inhaled. Propylene glycol may irritate eye and respiratory tract. As e-cigarette cartridges may also contain various concentrations

¹ U.S. Department of Health and Human Services. How Tobacco Smoke Causes Disease: The Biology and Behavioral Basis for Smoking-Attributable Disease: *A Report of the Surgeon General*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 2010.

² U.S. Environmental Protection Agency. Respiratory Health Effects of Passive Smoking: Lung Cancer and Other Disorders. Washington: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, 1992.

³ International Agency for Research on Cancer. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans Volume 83 Tobacco smoke and involuntary smoking. Lyon, France: International Agency for Research on Cancer, 2004.

of nicotine, use of e-cigarette may cause nicotine dependence and constriction of blood vessels. In addition, some toxic substances such as carcinogenic tobacco-specific nitrosamines and formaldehyde-releasing chemical were also detected in some e-cigarettes, according to some overseas research.

9. Since heated tobacco products are new in the market, research on their health effects has been relatively scarce. The World Health Organization stated that currently there is no evidence to demonstrate that heated tobacco products are less harmful than conventional tobacco products. A research conducted by tobacco company claimed heated tobacco products may be less harmful than combustible cigarettes, but other studies reported that such products may release carbon monoxide and formaldehyde, as well as second-hand smoke. All of these are harmful substances. On top of that, heated tobacco products heat tobacco to release the addictive nicotine which may cause nicotine dependence.

Benefits of Implementing Smoke-free Measures

Safeguarding students, teachers and staff's health

10. Tobacco control measures safeguard students, teachers and staff against the impact of second-hand smoke and allow for a clean and healthy environment. This will reduce absenteeism and lead to improved productivity as well as learning environment.

Reducing the risk of fire

11. Statistics showed that in 2017, more than 800 fires were caused by careless handling or disposal of cigarette ends, matches and candles, etc.⁴ Implementing smoke-free measures will substantially reduce the risk of fire caused by disposal of cigarette ends.

Cutting maintenance costs

12. Setting up smoke-free schools can prevent office equipment from being stained or burnt. It also reduces the damage to the air-conditioning and ventilation systems by pollutants such as ashes, thereby reducing the servicing costs of office

⁴ Hong Kong Fire Services Department. Statistical Information.
<https://www.hkfsd.gov.hk/eng/publications/statistic/>

equipment and air-conditioning system.


Bring a healthy message to students

13. Implementing smoke-free measures could reduce the likelihood of students exposed to smoking. As a result, smoke-free schools will send a clear message to the young people that smoking is not a part of mainstream society.

Duties and Responsibilities of Staff

14. In order to implement smoke-free measures in schools, the Ordinance empowers managers and authorised staff of workplace with certain authority and responsibilities. If anyone is found smoking in schools, the manager or staff shall request the smoker to extinguish his/her cigarette, cigar or pipe immediately. If that person refuses to cooperate, the manager may call the police for assistance.

15. Procedures to handle smoking offences



Strengthen the training for employees

16. Schools should inform all staff that schools have implemented smoke-free measures pursuant to law and emphasise that a smoke-free school allows for a fresh environment for both staff and students. At the same time, staff training should be provided to make them understand their responsibilities and duties under the Ordinance, and improve their techniques of advising smokers. This enables staff to effectively discharge their duties of stopping smokers from smoking, thus achieving a smoke-free environment in schools.

Remove ashtrays from schools

17. Placing ashtrays in schools can be sending a misleading message that smoking is allowed in schools. Therefore, all ashtrays should be removed.

Display no smoking signage

18. Schools should display sufficient number of no smoking signs in prominent positions in order to remind staff, visitors and students that smoking is prohibited in schools. This helps managers to implement the no smoking requirement.

Encourage staff and students who smoke to quit smoking

19. Schools should make staff and students who smoke understand that the smoke-free policy is for the benefit of their health, rather than an action against their smoking behaviour. Schools should encourage them to quit smoking and provide appropriate assistance and support, such as offering smoking cessation information and incentives or rewards to staff who have successfully quit smoking.

Enhancing implementation skills

20. Experience suggests that when a manager advises politely and refers to the no smoking signage displayed around, most smokers will cooperate and extinguish the cigarette or leave the no smoking area as requested. Managers should remind staff that when advising, they should first explain very clearly to the smokers that schools are statutory no smoking areas. The advice should be given in a polite manner with appropriate phrases such as “excuse me”, “please”, “thank you” and “I’m afraid”, etc. Usually, smokers will extinguish their cigarette after they are informed of the no smoking requirement.

21. When giving advice, the manager should pay attention to the resident’s mental state such as drunkenness. Do not have any body contact with the smoker or request the smoker to extinguish the cigarette in a commanding tone, such as “Hey, put out your cigarette!”. This helps to avoid conflicts or quarrels.

Handling uncooperative customers

22. If the smoker refuses to cooperate after repeated warnings from the manager

or authorised staff, or even behaves violently or disrupts the public order, the manager may call the police at once for assistance.

Support and Assistance

The Tobacco and Alcohol Control Office of the Department of Health

23. The Tobacco and Alcohol Control Office under the Department of Health was established in 2001 to promote smoke-free culture in Hong Kong. We provide education and assistance to managers of public premises for the implementation of tobacco control measures. The responsibility of tobacco control inspectors of Tobacco and Alcohol Control Office is to enforce the Ordinance. They handle the complaints of smoking offences, and carry out enforcement actions against the offenders. On the other hand, we inform the public the health hazards of smoking through publicity and education, and help smokers to quit smoking through coordinating and providing smoking cessation services.

Seminar on tobacco control legislations

24. The Tobacco and Alcohol Control Office regularly conducts seminars on the Ordinance. It aims at enhancing the understanding and implementation skills of managers and staff in relation to the Ordinance, so that they can carry out smoke-free measures in their premises more effectively. Seminars on the Ordinance cover the following areas: smoking situation in Hong Kong, harmful effects of smoking and second-hand smoke brief introduction of the Ordinance, duties and power of “Manager”, guidelines on handling smoking offence and case discussion. Managers and authorised employees of workplace are welcomed. Please fill in the application form downloaded from the Tobacco and Alcohol Control Office’s website, www.taco.gov.hk, and send to our office by post or fax.

Health education materials

25. To facilitate managers to implement smoke-free measures, we have prepared a series of no smoking signage (plates, stickers, standees, etc.), posters, pamphlets, as well as this implementation guide and other free materials. Interested parties can download the Application Form of Health Education Materials from the Tobacco and Alcohol Control Office’s website, www.taco.gov.hk, and fill in the form and send to our office by post or fax.

Smoking cessation services

26. The Department of Health operates a cessation hotline at 1833 183 to provide the public with over the phone cessation counselling service and cessation information. In addition, the Department of Health, the Tung Wah Group of Hospitals, the Pok Oi Hospital and the Hospital Authority also provide smoking cessation services for quitters. People may select the cessation services required, including cessation assessment, cessation tips and pharmacotherapy information, etc., through the integrated smoking cessation hotline at 1833 183.

Integrated Smoking Cessation Hotline of the Department of Health: 1833 183

Press 1 : Department of Health Smoking Cessation Hotline

Press 2 : Tung Wah Group of Hospitals Smoking Cessation Hotline

Press 3 : Hospital Authority Quitline

Press 4 : Pok Oi Smoking Cessation Service using Traditional Chinese Medicine

Special note: avoid accepting donations from tobacco trade

27. Schools should avoid accepting donations from tobacco trade or organising activities with the trade (including organisations funded by tobacco trade). It is because accepting donations from tobacco trade may jeopardise the effect of anti-smoking education in schools. Therefore, schools should scrutinize the background and source of funding of sponsors and collaborating organizations before accepting any donations or collaborations.

Enquiries on tobacco control issues

28. For enquiries or assistance concerning the implementation of smoke-free measures, please contact enquiry and complaint hotline of Tobacco and Alcohol Control Office, Department of Health at 2961 8823.

Frequently Asked Questions

Q : How should schools deal with uncooperative smokers?

A : If the smoker is uncooperative despite staff's polite request, the manager or staff should stand firm, explain and give advice once more, and call for assistance. If your repeated requests are still in vain, you may give a verbal warning indicating that the smoking offence is subject to a penalty and request the smoker to leave the no smoking area. If the manner of the smoker turns worse, you may call the police for assistance. Step back and keep away from the smoker to avoid conflicts before police arrival.

Q : Can schools request the help from the Tobacco and Alcohol Control Office?

A : Yes. If schools have any enquiry on the tobacco control issues, or when they have any difficulties on implementing the smoke-free measures, they can call the enquiry and complaint hotline of the Tobacco and Alcohol Control Office at 2961 8823. However, as smoking usually lasts for only a few minutes, it is impracticable for inspectors to provide assistance on spot immediately upon receipt of complaint. Nonetheless, Tobacco and Alcohol Control Office pledges to follow up all enquiries and complaints. Venue managers should call for police assistance when there is an emergency.

Contact Us

Enquiry and Complaint Hotline : 2961 8823

Smoking Cessation Hotline : 1833 183

Address : Room 1801-1803, 18/F, Wing On Kowloon Centre, 345 Nathan Road,
Kowloon

Fax : 2575 8944

Email : tobaccocontrol @dh.gov.hk

All content and information contained in this publication are protected by copyright, of which the owner is the Tobacco and Alcohol Control Office of Department of Health, Government of the Hong Kong Special Administrative Region.